

TEST REPORT

Report No.: IQTS20261293RC101

Page 1 of 30

Applicant : Shenzhen WFLY Technology Development Co., Ltd.
3rd Floor, Building C1, Xianglida Industrial Park, Haoye Road, Zhancheng
Address : Community, Fuhai Subdistrict, Bao'an District, Shenzhen City, Guangdong
Province, China.
Manufacturer's name : Shenzhen WFLY Technology Development Co., Ltd.
3rd Floor, Building C1, Xianglida Industrial Park, Haoye Road, Zhancheng
Address : Community, Fuhai Subdistrict, Bao'an District, Shenzhen City, Guangdong
Province, China.

Report on the submitted samples said to be:

Sample Name : Digital proportional remote controller
Trade Mark : WFLY
Tested model : X9S
Series models : X9, X9 Pro, X9S MK2
Testing Period : Jul. 03, 2026 ~ Jul. 11, 2026
Date of issue : Jul. 11, 2026
Results : Please refer to next page(s).


TEST REQUEST

According to the customer's request, based on the performed tests on submitted sample, the result of Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, Dibutyl Phthalate(DBP), Benzylbutyl Phthalate(BBP), Bis(2-ethylhexyl) Phthalate(DEHP), Diisobutyl phthalate(DIBP) content comply with the limit as set of RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

CONCLUSION

Pass

Signed for and on behalf of IQTS



Suez Su



TEST REPORT

Report No.: IQTS20261293RC101

Page 2 of 30

Results:

A.EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Seq. No.	Tested Part(s)	Results					
		Cd	Pb	Hg	Cr [▼]	Br [▼]	
						PBBs	PBDEs
1	Transparent plastic	BL	BL	BL	BL	BL	BL
2	Black foam	BL	BL	BL	BL	BL	BL
3	Black foam	BL	BL	BL	BL	BL	BL
4	Black plastic	BL	BL	BL	BL	BL	BL
5	Black plastic	BL	BL	BL	BL	BL	BL
6	Golden metal	BL	OL	BL	BL	/	/
7	Black plastic wire cover	BL	BL	BL	BL	BL	BL
8	Red plastic wire cover	BL	BL	BL	BL	BL	BL
9	Silver metal wire	BL	BL	BL	BL	/	/
10	Black plastic	BL	BL	BL	X	BL	BL
11	Black silicone	BL	BL	BL	BL	BL	BL
12	Black plastic	BL	BL	BL	BL	BL	BL
13	Black silicone	BL	BL	BL	BL	BL	BL
14	Gray metal	BL	BL	BL	BL	/	/
15	Silver metal screw	BL	BL	BL	X	/	/
16	Silver metal nut	OL	BL	BL	BL	/	/
17	Silver metal screw	X	OL	BL	BL	/	/
18	Gray plastic	BL	BL	BL	BL	BL	BL
19	Gray plastic	BL	BL	BL	BL	BL	BL
20	White plastic	BL	BL	BL	BL	BL	BL
21	Black metal screw	BL	OL	BL	X	/	/
22	Gray metal	BL	BL	BL	BL	/	/
23	Green plastic	BL	BL	BL	BL	X	X
24	Brown plastic	BL	BL	BL	BL	BL	BL
25	Green plastic light	BL	BL	BL	BL	BL	BL
26	White plastic	BL	BL	BL	BL	BL	BL
27	Black plastic	BL	BL	BL	BL	X	X



TEST REPORT

Report No.: IQTS20261293RC101

Page 3 of 30

28	Black plastic wire cover	BL	BL	BL	BL	BL	BL
29	White plastic	BL	BL	BL	BL	BL	BL
30	Black plastic	BL	BL	BL	X	BL	BL
31	Brown plastic	BL	BL	BL	BL	BL	BL
32	White plastic	BL	BL	BL	BL	BL	BL
33	Black plastic wire cover	BL	BL	BL	BL	BL	BL
34	Red plastic wire cover	BL	BL	BL	BL	BL	BL
35	White plastic	BL	BL	BL	BL	BL	BL
36	IC	BL	BL	BL	BL	BL	BL
37	Chip Capacitor	BL	BL	BL	BL	BL	BL
38	Inductance	BL	BL	BL	X	BL	BL
39	Black resistor	BL	BL	BL	BL	BL	BL
40	IC	BL	BL	BL	BL	BL	BL
41	White plastic	BL	BL	BL	BL	BL	BL
42	Black plastic	BL	BL	BL	BL	BL	BL
43	Black plastic	BL	BL	BL	BL	BL	BL
44	Silver metal	BL	BL	BL	X	/	/
45	Silver metal	BL	X	BL	BL	/	/
46	Silver metal spring	BL	BL	BL	X	/	/
47	Silver magnet	BL	BL	BL	BL	/	/
48	Black metal screw	BL	BL	BL	BL	/	/
49	Black plastic	BL	BL	BL	BL	BL	BL
50	Golden metal	BL	BL	BL	BL	/	/
51	Ferrous metal	BL	BL	BL	BL	/	/
52	Silver metal	BL	BL	BL	X	/	/
53	Red metal	BL	BL	BL	BL	/	/
54	Silver metal	BL	BL	BL	BL	BL	BL
55	Black plastic	BL	BL	BL	BL	BL	BL
56	Silver metal	BL	BL	BL	X	/	/
57	Red plastic	BL	BL	BL	BL	BL	BL
58	Black plastic	BL	BL	BL	X	BL	BL
59	PCB board	BL	BL	BL	BL	BL	BL
60	Soldering	BL	BL	BL	BL	/	/



TEST REPORT

Report No.: IQTS20261293RC101

Page 4 of 30

61	Black plastic	BL	BL	BL	BL	BL	BL
62	Glass	BL	BL	BL	BL	BL	BL
63	Silver metal	BL	X	BL	X	/	/
64	Transparent plastic	BL	BL	BL	BL	BL	BL
65	White plastic	BL	BL	BL	BL	BL	BL
66	White plastic film	BL	BL	BL	BL	BL	BL
67	White plastic	BL	BL	BL	BL	BL	BL
68	Chip Capacitor	BL	BL	BL	BL	BL	BL
69	Crystal oscillator	BL	BL	BL	BL	/	/
70	IC	BL	BL	BL	BL	BL	BL
71	Capacitance	BL	BL	BL	BL	/	/
72	Black transistor	BL	BL	BL	BL	BL	BL
73	IC	BL	BL	BL	BL	BL	BL
74	IC	BL	BL	BL	BL	BL	BL
75	IC	BL	BL	BL	BL	BL	BL
76	Inductance	BL	BL	BL	BL	BL	BL
77	Black plastic	BL	BL	BL	BL	BL	BL
78	Silver metal	BL	OL	BL	X	/	/
79	IC	BL	BL	BL	BL	BL	BL
80	Black tape	BL	BL	BL	BL	BL	BL
81	Green plastic light	BL	BL	BL	BL	BL	BL
82	PCB board	BL	BL	BL	BL	X	X
83	White plastic	BL	BL	BL	BL	BL	BL
84	Black plastic	BL	BL	BL	BL	BL	BL
85	Silver metal spring	BL	X	BL	BL	/	/
86	Golden metal	OL	BL	BL	BL	/	/
87	Black plastic wire cover	BL	BL	BL	BL	BL	BL
88	Red plastic wire cover	BL	BL	BL	BL	BL	BL
89	White plastic	BL	BL	BL	BL	BL	BL
90	Silver metal wire	BL	BL	BL	BL	/	/



TEST REPORT

Report No.: IQTS20261293RC101

Page 5 of 30

Note:

- (1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	$BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$	$BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$	$BL \leq 50 - 3\sigma < X < 150 + 3\sigma \leq OL$
Pb	mg/kg	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$
Hg	mg/kg	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$
Cr	mg/kg	$BL \leq 700 - 3\sigma < X$	$BL \leq 700 - 3\sigma < X$	$BL \leq 500 - 3\sigma < X$
Br	mg/kg	$BL \leq 300 - 3\sigma < X$	--	$BL \leq 250 - 3\sigma < X$

Note:

- BL = Below Limit
OL = Over Limit
X = Inconclusive

- (2) The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from the document 2015/863/EC amending RoHS directive 2011/65/EU:
- (4) ▼ =For restricted substances PBBs and PBDEs, the results show the total Br content; The restricted substance was Cr(VI), and the results showed the total Cr content



TEST REPORT

Report No.: IQTS20261293RC101

Page 6 of 30

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	100
Lead (Pb)	1000
Mercury (Hg)	1000
Hexavalent Chromium (Cr(VI))	1000
Polybrominated biphenyls (PBBs)	1000
Polybrominated diphenylethers (PBDEs)	1000
Dibutyl Phthalate(DBP)	1000
Benzylbutyl Phthalate(BBP)	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	1000
Diisobutyl phthalate(DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



TEST REPORT

Report No.: IQTS20261293RC101

Page 7 of 30

B. EU RoHS Directive 2011/65/EU and its amendment Directives 2015/863/EU on Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, DBP, BBP, DEHP, DIBP content.

Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

Hexavalent Chromium(Cr⁶⁺) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

BBP DBP DEHP & DIBP Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

1) The test results of Hexavalent Chromium (Cr⁶⁺)(metal)

Item	Unit	MDL	Results				Limit
			15	21	44	46	
Hexavalent Chromium(Cr(VI))▼	ug/cm ²	0.10	N.D.	N.D.	N.D.	N.D.	-

Item	Unit	MDL	Results				Limit
			52	56	63	78	
Hexavalent Chromium(Cr(VI))▼	ug/cm ²	0.10	N.D.	N.D.	N.D.	N.D.	-

2) The test results of Hexavalent Chromium (Cr⁶⁺)(non-metal)

Item	Unit	MDL	Results				Limit
			10	30	38	58	
Hexavalent Chromium(Cr(VI))▼	ug/cm ²	8	N.D.	N.D.	N.D.	N.D.	1000

3) The test results of Lead(Pb) and Cadmium (Cd)

Item	Unit	MDL	Results				Limit
			06	17	21	45	
Lead (Pb)	mg/kg	2	N.D.	N.D.	N.D.	N.D.	1000



TEST REPORT

Report No.: IQTS20261293RC101

Page 8 of 30

Item	Unit	MDL	Results			Limit
			63	78	85	
Lead (Pb)	mg/kg	2	N.D.	N.D.	N.D.	1000

Item	Unit	MDL	Results			Limit
			16	17	86	
Cadmium (Cd)	mg/kg	2	N.D.	N.D.	N.D.	100

Note:

- MDL = Method Detection Limit
 - /= Not apply
 - LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is 0.10 µg/cm²
 - mg/kg = ppm=parts per million
 - N.D.=Not Detected(<MDL or LOQ)
 - ▼ = a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13ug/cm². The sample coating is considered to contain Cr(VI)
b. The sample is negative for Cr(VI) if Cr(VI) is N.D.(concentration less than 0.10ug/cm²). The sample coating is considered a non- Cr(VI) based coating
c. The result between 0.10µg/cm² and 0.13µg/cm² is considered to be inconclusive, unavoidable coating variations may influence the determination
- #1 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in glass of cathode ray tubes, electronic components and fluorescent tubes.
- #2 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in electronic ceramic parts (e.g. piezoelectronic devices).
- #3 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Copper containing up to 4% (40000ppm) by weight.
- #4 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead).
- #5 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Aluminum containing up to 0.4% (4000ppm) by weight.
- #6 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Cadmium and its compounds in electrical contact is exempted.
- #7 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its Amendments, Lead is exempted in steel for machining purposes and in galvanised steel containing up to 0.35% (3500ppm) by weight.



TEST REPORT

Report No.: IQTS20261293RC101

Page 9 of 30

4) The test results of DBP、BBP、DEHP & DIBP

Item	Unit	MDL	Results				Limit
			01	02	03	04	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000

Item	Unit	MDL	Results				Limit
			05	07	08	10	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000

Item	Unit	MDL	Results				Limit
			11	12	13	18	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000

Item	Unit	MDL	Results				Limit
			19	20	23	24	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000



TEST REPORT

Report No.: IQTS20261293RC101

Page 10 of 30

Item	Unit	MDL	Results				Limit
			25	26	27	28	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000

Item	Unit	MDL	Results				Limit
			29	30	31	32	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000

Item	Unit	MDL	Results				Limit
			33	34	35	36	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000

Item	Unit	MDL	Results				Limit
			37	38	39	40	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000



TEST REPORT

Report No.: IQTS20261293RC101

Page 11 of 30

Item	Unit	MDL	Results				Limit
			41	42	43	49	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000

Item	Unit	MDL	Results				Limit
			55	57	58	59	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000

Item	Unit	MDL	Results				Limit
			61	62	64	65	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000

Item	Unit	MDL	Results				Limit
			66	67	68	70	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000



TEST REPORT

Report No.: IQTS20261293RC101

Page 12 of 30

Item	Unit	MDL	Results				Limit
			72	73	74	75	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000

Item	Unit	MDL	Results				Limit
			76	77	79	80	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000

Item	Unit	MDL	Results				Limit
			81	82	83	84	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000

Item	Unit	MDL	Results			Limit
			87	88	89	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	1000



TEST REPORT

Report No.: IQTS20261293RC101

Page 13 of 30

Remark:

- mg/kg = ppm
- N.D. = Not detected
- MDL=Method detected limited
- Flow chart appendix is included
- Photo appendix is included.



TEST REPORT

Report No.: IQTS20261293RC101

Page 14 of 30

5) The test results of PBBs & PBDEs

Item	Unit	MDL	Results			Limit
			23	27	82	
Polybrominated Biphenyls (PBBs)						
Monobromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	
Dibromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	
Tribromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	
Tetrabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	
Pentabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	
Hexabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	
Heptabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	
Octabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	
Nonabromodiphenyl	mg/kg	5	N.D.	N.D.	N.D.	
Decabromodiphenyl	mg/kg	5	N.D.	N.D.	N.D.	
Total content	mg/kg	/	N.D.	N.D.	N.D.	1000
Polybrominated Diphenylethers (PBDEs)(Mon-Deca)						
Monobromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	
Dibromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	
Tribromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	
Tetrabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	
Pentabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	
Hexabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	
Heptabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	
Octabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	
Nonabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	
Decabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	
Total content	mg/kg	/	N.D.	N.D.	N.D.	1000

Remark:

- mg/kg = ppm
- N.D. = Not detected
- MDL=Method detected limited
- Flow chart appendix is included
- Photo appendix is included.




TEST REPORT

Report No.: IQTS20261293RC101


Page 15 of 30

Appendix


1. Test Flow chart for Cd/Pb /Hg content



2. Test Flowchart for Cr⁶⁺ content (For non-metal material)



Test Flowchart for Cr⁶⁺ content (For metal material)






TEST REPORT

Report No.: IQTS20261293RC101

Page 16 of 30

3. Test Flow chart for PBBs & PBDEs & DBP & BBP & DEHP & DIBP content





TEST REPORT

Report No.: IQTS20261293RC101

Page 17 of 30

The photo of the sample



TEST REPORT

Report No.: IQTS20261293RC101


Page 18 of 30



TEST REPORT

Report No.: IQTS20261293RC101

Page 19 of 30



TEST REPORT

Report No.: IQTS20261293RC101


Page 20 of 30



TEST REPORT

Report No.: IQTS20261293RC101


Page 21 of 30



TEST REPORT

Report No.: IQTS20261293RC101



Page 22 of 30



TEST REPORT

Report No.: IQTS20261293RC101


Page 23 of 30



TEST REPORT

Report No.: IQTS20261293RC101

Page 24 of 30



TEST REPORT

Report No.: IQTS20261293RC101

Page 25 of 30



TEST REPORT

Report No.: IQTS20261293RC101


Page 26 of 30



TEST REPORT

Report No.: IQTS20261293RC101


Page 27 of 30



TEST REPORT

Report No.: IQTS20261293RC101


Page 28 of 30



TEST REPORT

Report No.: IQTS20261293RC101


Page 29 of 30



TEST REPORT

Report No.: IQTS20261293RC101

Page 30 of 30



***** End of Report *****

Statement:

1. The test report is considered invalidated without approval signature, special seal on the perforation.
2. The result(s) shown in this report refer only to the sample(s) tested.
3. Without written approval of IQTS, this report can't be reproduced except in full.
4. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which IQTS hasn't verified.
5. In case of any discrepancy between the English version and Chinese version of the testing reports(if generated), the Chinese version shall prevail.

